No.SET2019-01269

# Material Safety Data Sheet (MSDS) Report

Client unit: SINOWATT DONGGUAN LIMITED

Name of sample:

Prismatic lithium-Ion Battery
Model: SW26650-50ME

Address: No. 7, Xingyuan Road, Yuquan Industrial Park, Fenggang Town, Dongguan, Guangdong, P.R. China



Tested By: Peter fan Checked By: Approved By: Billow

Date: Jan.24.2019 Date: Jan.24.2019 Date: Jan.24.2019

Query No.:BC7W947I



Page: 2 of 7 No. SET2019-01269

Reviewed on Jun.24, 2019

# 1 Identification of substance

**Product details** 

**Product name:** Prismatic lithium-Ion Battery

**Model No.:** SW26650-50ME

Manufacturer/Supplier: SINOWATT DONGGUAN LIMITED

Address: No. 7, Xingyuan Road, Yuquan Industrial Park, Fenggang Town, Dongguan, Guangdong, P.R.

China

**Post Code:** 523696

**Telephone:** 0769-82695120

Fax: 0769-89330788

Mail: xu.zhenhua@sinowatt.com MSDS code: SET2019-01269

# 2 Hazards identification

This product as a whole, in general is safe under reasonably foreseeable use.

**Primary routes of entry:** 

Eye: No known significant effects or critical hazards. Skin: No known significant effects or critical hazards. Inhalation: No known significant effects or critical hazards.

Ingestion: May cause gastrointestinal irritation.

Health hazard: No known significant effects or critical hazards under normal use.

**Environmental harm:** No known significant effects or critical hazards.

**Combustion hazard:** The sample can burn.

# 3 Composition/Data on components

# **Chemical characterization:**

**Description**: (CAS#)

Chemical composition	in % by weight	CAS No.	Molecular Formula
Carbon black	15~17	1333-86-4	С
Lithium Nickel Oxide	34~37	12031-65-1	LiNiO <sub>2</sub>
Lithium Manganese Dioxide		12162-79-7	NA
Cobaltate, Lithium		12190-79-3	CoLiO <sub>2</sub>



Page: 3 of 7 No. SET2019-01269

Reviewed on Jun.24, 2019

Chemical composition	in % by weight	CAS No.	Molecular Formula
Aluminum	19~21	7429-90-5	Al
1,3-Dioxolan-2-one	3~4	96-49-1	C <sub>3</sub> H <sub>4</sub> O <sub>3</sub>
Carbonic acid, ethyl methyl ester	3~4	623-53-0	$C_4H_8O_3$
Carbonic acid, dimethyl ester	3~4	616-38-6	C <sub>3</sub> H <sub>6</sub> O <sub>3</sub>
polyethylene	2~3	9002-88-4	$(C_2H_4)_n$
Phosphate(1-), hexafluoro, lithium	1~3	21324-40-3	F <sub>6</sub> LiP
Copper	7~8	7440-50-8	Cu
Iron	13~14	7439-89-6	Fe

Abbreviation: CAS: Chemical Abstract Service.

# 4 First aid measures

#### Skin contact

Remove contaminated clothes and rinse the skin with plenty of water.

#### **Eve contact**

Not a health hazard. If enter the eye carelessly, No hazards under normal circumstances, if the product debris, dust into the eyes, lift the eyelid, use flowing water or normal saline to irrigate. Get medical treatment.

#### Inhalation

Debris, a lot of dust inhalation may cause respiratory discomfort, move to fresh air immediately rest. If uncomfortable situation failed to ease, get medical aid immediately.

# Ingestion

If swallowed by mistake, obtain medical attention immediately.

# 5 Fire fighting measures

#### General Hazard:

The sample can burn.

**Extinguishing Media:** put out a fire in the surrounding environment with the right agent. Such as CO2, dry powder, water.

Fire precautions and measures: Firefighters must wear gas masks, wear firefighting suits.

Combustion products: No applicable.



Page: 4 of 7 No. SET2019-01269

Reviewed on Jun.24, 2019

#### 6 Accidental release measures

# **Disposal methods:**

- 1. Rapid evacuation leakage pollution area personnel to safe areas, and isolation, strictly limited access;
- 2. Provide adequate protection and ventilation equipment;
- 3. Cleaning the spillage with the method does not produce dust, collect the leakage in a suitable labeled container as much as possible;
- 4. In a safe condition, choose appropriate ways to prevent or reduce leakage, for example use sand or clay ring-fence leakage, possible cut off leakage source, avoid into sewer or other enclosed spaces;
- 5. Cut off the source of leakage as much as possible, avoid entering sewers or other confined space;
- 6. If a large number of leakage, collect and recycle leakage to suitable and indicative covered container, and shipped to a special waste disposal site disposal.

Waste treatment methods: All waste must be referring to the United Nations, national and local regulations for disposal.

# 7 Handling and storage

**Handling:** Job site should keep ventilation. Keep away from heat. Sealed container when not using. Reduce dust accumulation and generation. Equip with relevant types and quantities of the extinguishment instruments and devices for divulgence handling.

**Storage:** Stored in a low temperature, dry, well ventilated environment. Avoid direct sunlight. Store away from food and water, wash your hands thoroughly before eat bread or drink water. Far from taboo object, such as strong oxidizer, strong acid. Keep away from fire and heating sources. Equipped with corresponding varieties and number of fire equipment. Storage areas should be equipped with leakage emergency treatment equipment and suitable for accept materials.

# 8 Exposure controls and personal protection

**Monitoring method:** No data available.

**Engineering controls:** Ensure vapor concentration in the workshop under the requirements of existing OSHA.

**Respiratory system safeguard:** Exceed the standard concentration in air, must wear self-priming filter type gas mask (half mask), emergency rescue or evacuation, should wear air respirator.

**Eye safeguard:** If necessary, wear chemical safety protective glasses.

**Body safeguard:** Wear anti-static clothes.

Hand safeguard: Wear gloves.

Else safeguard: No smoking, dining and drinking water at job site. Avoid prolonged and repeated contact.



Page: 5 of 7 No. SET2019-01269

Reviewed on Jun.24, 2019

# 9 Physical and chemical properties:

General Information
9.1 General Information

Color: Green

9.2 Physical and chemical properties:a) appearance and properties: Cylindrical

Odour: No odor.

b) pH value: no data available
c) melting point: no data available
d) the boiling point: no data available
e) relative density: no data available

f) relative vapour density: no data available g) saturated vapor pressure: no data available

h) Octanol/water partition coefficient of value: no data available

i) solubility: Insoluble 9.3 Other information

Voltage: 3.7V

Electric Capacity: 5000mAh Electric Energy: 18.5Wh

# 10 Stability and reactivity

# 10.1 stability

Stable under ordinary conditions of use and storage.

#### 10.2 avoid contact conditions

Fire, high temperature.

# 10.3 prohibited content

Strong oxidizer, strong acid

# 10.4 aggregate harm

No data available

# 10.5 decomposition product

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# 11 Toxicological information

# toxicology influencing information

# Acute toxicity

No known significant effects or critical hazards.

#### Irritation

No known significant effects or critical hazards.

**Chronic toxicity** 



Page: 6 of 7 No. SET2019-01269

Reviewed on Jun.24, 2019

No known significant effects or critical hazards.

# Carcinogenicity

No known significant effects or critical hazards.

# **Reproduction toxicity**

No known significant effects or critical hazards.

# 12 Ecological information

# 12.1 ecotoxicity

No known significant effects or critical hazards.

# 12.2 biological degradability

No known significant effects or critical hazards.

# 12.3 non-living things degradability

No known significant effects or critical hazards.

# 12.4 biology gathering and biology accumulate

No known significant effects or critical hazards.

# 13 Disposal considerations

All waste must be referring to the United Nations, national and local regulations for disposal, the dumped or discarded material may be regard as a restrictive waste referring to local regulations. Cleaned containers containing this substance were also required treatment. Comply with waste law. Atmospheric Pollution Act and water pollution law for disposal.

# **14 Transport information**

Number of dangerous goods: 9

UN Number: UN3480
Packaging Mark: No data.
Packaging Method: No data.

The goods shall be complied with the Packing Instruction 965 section II of 59<sup>th</sup> DGR Manual of IATA (2018 edition), including the passing of the UN38.3 test, And also complies with the Special Provision 188 and 230 of IMDG CODE (Amdt.38-16) 2017 Edition.

Check whether the container is full, sealing, to ensure that the container does not leak during the process of transportation, do not fall, no damage. It is strictly prohibited and oxidant, such as food chemicals during conventional. During transport, the vehicle should prevent exposure, rain and high temperature. For stopovers, the vehicle should be away from fire and heat sources. Transport vehicle must thorough cleaning and disinfection, or other items shall not be shipment. Shipping, equipped with position should be far away from the bedroom, kitchen, and from the engine room, power supply, fire and other parts. Highway transportation route as prescribed.



Page: 7 of 7 No. SET2019-01269

Reviewed on Jun.24, 2019

15 Regulations
OSHA Hazard communication standard (29 CFR 1910.1200)
Hazardous Non-hazardous √
Please note that waste disposal should meet local regulatory requirements.

# 16 Other information:

The above information are correct, but does not contain all of the information and only used as a guide. The information in this document is based on our current knowledge, it apply to this product as for the correct safety tips. The information does not guarantee the properties of this product. Our company is not responsible for any damages caused by the products.

\*\*\*\*\* END OF REPORT \*\*\*\*\*