## **MATERIAL SAFETY DATA SHEET**

### ICR18650 Lithium-Ion Battery

### LG CHEMICAL LIMITED

# **1.** Chemical Product and Company Identification

### **Product Identification**

INR18650 MH1 (3200mAh, 3.7V) Lithium-Ion Battery.

### Manufacturer

LG Chemical Limited Twin Tower Youido-Dong, Youngdeungpo-Ku Seoul, Korea

### **Emergency Telephone Number**

82-2-3773-7256

## **2.** Composition Information

Hazardous Ingredients	%	CAS Number
Aluminum Foil	2-10	7429-90-5
Metal Oxide (proprietary)	20-50	182442-95-1
Styrene-Butadiene-Rubber	<1	9003-55-8
Polyvinylidene Fluoride (PVDF)	<5	24937-79-9
Copper Foil	2-10	7440-50-8
Carbon (proprietary)	10-30	7440-44-0
Electrolyte (proprietary)	10-20	21324-40-3
Steel, Nickel and inert materials	Remainder	N/A

\* Equivalent Lithium content : 1.17g

# 3. Hazards Identification

### **Emergency Overview**

May explode in a fire, which could release hydrogen fluoride gas. Use extinguishing media suitable for materials burning in fire.

### **Primary routes of entry**

Skin contact	:	NO
Skin absorption	:	NO
Eye contact	:	NO
Inhalation	:	NO
Ingestion	:	NO

### Symptoms of exposure

<u>Skin contact</u> No effect under routine handling and use.

<u>Skin absorption</u> No effect under routine handling and use.

<u>Eye contact</u> No effect under routine handling and use.

<u>Inhalation</u> No effect under routine handling and use.

Reported as carcinogen Not applicable

## 4. First Aid Measures

### Inhalation

Not a health hazard.

### Eye contact

Not a health hazard.

### Skin contact

Not a health hazard.

### Ingestion

If swallowed, obtain medical attention immediately.

### IF EXPOSURE TO INTERNAL MATERIALS WITHIN CELL DUE TO DAMAGED OUTER CASING, THE FOLLOWING ACTIONS ARE RECOMMENDED;

### Inhalation

Leave area immediately and seek medical attention.

#### Eye contact

Rinse eyes with water for 15 minutes and seek medical attention.

#### Skin contact

Wash area thoroughly with soap and water and seek medical attention.

#### Ingestion

Drink milk/water and induce vomiting; seek medical attention.

## 5. Fire Fighting Measures

### **General Hazard**

Cell is not flammable but internal organic material will burn if the cell is incinerated. Combustion products include, but are not limited to hydrogen fluoride, carbon monoxide and carbon dioxide.

### **Extinguishing Media**

Use extinguishing media suitable for the materials that are burning.

### **Special Firefighting Instructions**

If possible, remove cell(s) from fire fighting area. If heated above 125°C, cell(s) may explode/vent.

### **Firefighting Equipment**

Use NIOSH/MSHA approved full-face self-contained breathing apparatus (SCBA) with full protective gear.

## 6. Accidental Release Measures

### On Land

Place material into suitable containers and call local fire/police department.

#### In Water

If possible, remove from water and call local fire/police department.

# 7. Handling and Storage

#### Handling

No special protective clothing required for handling individual cells.

#### Storage

Store in a cool, dry place.

# 8. Exposure Controls / Personal Protection

### **Engineering controls**

Keep away from heat and open flame. Store in a cool dry place.

### **Personal Protection**

<u>Respirator</u> Not required during normal operations. SCBA required in the event of a fire.

Eye/face protection Not required beyond safety practices of employer.

<u>Gloves</u> Not required for handling of cells.

<u>Foot protection</u> Steel toed shoes recommended for large container handling.

# 9. Physical and Chemical Properties

State	Solid
Odor	N/A
РН	N/A
Vapor pressure	N/A
Vapor density	N/A
Boiling point	N/A
Solubility in water	Insoluble
Specific gravity	N/A
Density	N/A

## **10.** Stability and Reactivity

### Reactivity

None

### Incompatibilities

None during normal operation. Avoid exposure to heat, open flame, and corrosives.

### **Hazardous Decomposition Products**

None during normal operating conditions. If cells are opened, hydrogen fluoride and carbon monoxide may be released.

### **Conditions To Avoid**

Avoid exposure to heat and open flame. Do not puncture, crush or incinerate.

## **11.** Toxicological Information

This product does not elicit toxicological properties during routine handling and use.

Sensitization	Teratogenicity	Reproductive toxicity	Acute toxicity
NO	NO	NO	NO

If the cells are opened through misuse or damage, discard immediately. Internal components of cell are irritants and sensitizers.

# **12.** Ecological Information

Some materials within the cell are bioaccumulative. Under normal conditions, these materials are contained and pose no risk to persons or the surrounding environment.

# **13.** Disposal Considerations

California regulated debris

RCRA Waste Code : Nonregulated

Dispose of according to all federal, state, and local regulations.

## **14.** Transport Information

Lithium batteries are classified in Class 9 – Miscellaneous dangerous goods as:

- UN 3480, Lithium ion batteries
- UN 3481, Lithium ion batteries contained in equipment; or
- UN 3481, Lithium ion batteries packed with equipment.

With regard to transport of the product, the following regulations are cited and considered:

The International Civil Aviation Organization (ICAO) Technical Instructions,

The International Air Transport Association (IATA) Dangerous Goods Regulations The International Maritime Dangerous Goods (IMDG) Code,

US Hazardous Materials Regulations 49 CFR(Code of Federal Regulations) Sections 173-185 Lithium batteries and cells,

The UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria 38.3 Lithium batteries,

If those lithium-ion batteries are packed with or contained in an equipment, then it is the responsibility of the shipper to ensure that the consignment are packed in compliance to the latest edition of the IATA Dangerous Goods Regulations Section II of either Packing Instruction 966 or 967 in order for that consignment to be declared as NOT RESTRICTED (non-hazardous/non-Dangerous). If those lithium-ion batteries are packed with or contained in an equipment, UN No. is UN3481

Each cell or battery is of the type proven to meet the requirements of each test in the UN Manual of Tests and Criteria, Part III, subsection 38.3;

## 15. Regulatory Information

This product is not hazardous ender the criteria of the Federal Occupational Safety and Health Administration(OSHA) Hazard Communication Standard.(29 CFR 1910. 1200)

Hazardous Von-hazardous

# 16. Revision and Disclaimer

### (1) **Preparation and Revision Information**

Date of previous revision	: 10/02/2017
Date of this revision	: 14/06/2018
Revision Number	: Rev 3.0

### (2) Disclaimer

The information in this MSDS is provided all the relevant data fully and truly. However, the information is provided without any warranty on their absolute extensiveness and accuracy. This MSDS was prepared to provide safety preventive measures for the users who have got professional training. The personal user who obtained this MSDS should make independent judgment for the applicability of this MSDS under special conditions. In these special cases, we do not assume responsibility for the damage.